INDEX TO VOLUME 67

New genera, species, and combinations are in **bold face** type. Capitalization of specific and varietal epithets approximates the recommendations of the International Rules of Nomenclature.

ABBE, ERNST C. and EARLE, T. T., Inflorescence, floral anatomy and morphology of *Leitneria floridana* 173

Abies balsamea 322; *grandis* 135, 140; *lasiocarpa* 135

Abramsia trichotoma 422

Acalypha guatemalensis 613

Acer 135

Achillea millefolium 590

Achlya conspicua 28

Aconite, sterility of 93

Aconitum anglicum 99; *Anthora* 94; *barbatum* 97; *californicum* 99; *chinense* 99; *Delavayi* 99, 100; *excelsum* 97; *formosum* 114; *Forrestii* 97, 114; *gymnandrium* 94; *Hemsleyanum* 97; *heterophyllum* 97; *Kusnezoffi* 99; *luridum* 115; *Lycoctonum* 110, 115; *mexicanum* 416; *Napellus* 97, 115; *Napellus*, Sparks variety 93; *noveboracense* 97, 109, 110, 115; *palmatum* 99; *paniculata* 97, 99, 100; *spicatum* 99; *Stoerkianum* 97, 102, 105, 115; *transectum* 97, 101; *Toppinii* 97; *variegatum* 97, 100, 115; *volubile* 97, 99; var. *latisectum* 97, 99; *Wilsoni* 99; *yugapense* 97

Aconogonum phytolaccaefolium 414

Acrotelium Ichnocarpi 71, 72; **Lucumae** 68, 70, 71, 72

Additions to Florida Fungi—II 57; III 145; IV 227; V 275

Adenocaulon bicolor 583, 590

Adiantum Capillus-Veneris 588

Aecidium Graebnerianum 416

Agave virginica 642

Agropyron Smithii 504

Alaskan rust fungi 413

Alexa imperatricis 287

Allium stellatum 642

Allomyces arbuscula 19, 28; *javanicus* 28

Alnus 135; *crispa* 579

Altamiranoa 195, 197; *elongata*, 197, 198; *alpina* 198; *Batesii* 198; *decipiens* 198; *Galeottiana* 198; *Jurgensii* 198; *mexicana* 198; *necaxana* 198; *ramulosa* 198; *scopulina* 198

Ambrosia artemisiifolia 254, 269, 590; *trifida* 270

Amelanchier canadensis 643

Amentotaxus 749, 752; *argotaenia* 320

American Botanical Literature, 79, 159, 237, 329, 427, 543, 623, 718, 799

American Labiatae 509

Amsonia illustris 644

ANDERSON, EDGAR, The concept of the genus—II. A survey of modern opinion 363

ANDERSON, EDGAR and HUBRICHT, LESLIE, A method for describing and comparing blooming-seasons 639

ANDERSON, J. P., Notes on Alaskan rust fungi 413

ANDREWS, HENRY N., A new cupule from the lower carboniferous of Scotland 595

Andropogon furcatus 503; *scoparius* 503, 504; *virginicus* 254, 270

Anemone globosa 414; *multifida* var. *hudsoniana* 577; *narcissiflora* 416; *nemorosa* 356

Angiopsora compressa 607

Angiopteris evecta 125

Antennaria gaspensis 584; *rupicola* 584

Anthodiscus obovatus 293

Aphanomyces euteiches 28

Aphyllous forms in *Pyrola* 453

Apodachlya brachynema 28

Aplopanax 589

Aquilegia canadensis 643

Archytaea multiflora 283

Arctostaphylos alpina 414, 579; *rubra* 589; *Uva-ursi* var. *coactilis* 577

Arctous erythrocarpa 414

Arenaria groenlandica 579; *patula* 642; *peploides* 581

Arisaema Dracontium 639, 643; *triphyllum* 643

Armillaria mellea 227

Arnica chionapappa 584; *mollis* 584

INDEX TO VOLUME 67

New genera, species, and combinations are in **bold face** type. Capitalization of specific and varietal epithets approximates the recommendations of the International Rules of Nomenclature.

ABBE, ERNST C. and EARLE, T. T., Inflorescence, floral anatomy and morphology of *Leitneria floridana* 173

Abies balsamea 322; *grandis* 135, 140; *lasiocarpa* 135

Abramsia trichotoma 422

Acalypha guatemalensis 613

Acer 135

Achillea millefolium 590

Achlya conspicua 28

Aconite, sterility of 93

Aconitum anglicum 99; *Anthora* 94; *barbatum* 97; *californicum* 99; *chinense* 99; *Delavayi* 99, 100; *excelsum* 97; *formosum* 114; *Forrestii* 97, 114; *gymnandrium* 94; *Hemsleyanum* 97; *heterophyllum* 97; *Kusnezoffi* 99; *luridum* 115; *Lycoctonum* 110, 115; *mexicanum* 416; *Napellus* 97, 115; *Napellus*, Sparks variety 93; *noveboracense* 97, 109, 110, 115; *palmatum* 99; *paniculata* 97, 99, 100; *spicatum* 99; *Stoerkianum* 97, 102, 105, 115; *transectum* 97, 101; *Toppinii* 97; *variegatum* 97, 100, 115; *volubile* 97, 99; var. *latisectum* 97, 99; *Wilsoni* 99; *yugapense* 97

Aconogonum phytolaccaefolium 414

Acrotelium Ichnocarpi 71, 72; **Lucumae** 68, 70, 71, 72

Additions to Florida Fungi—II 57; III 145; IV 227; V 275

Adenocaulon bicolor 583, 590

Adiantum Capillus-Veneris 588

Aecidium Graebnerianum 416

Agave virginica 642

Agropyron Smithii 504

Alaskan rust fungi 413

Alexa imperatricis 287

Allium stellatum 642

Allomyces arbuscula 19, 28; *javanicus* 28

Alnus 135; *crispa* 579

Altamiranoa 195, 197; *elongata*, 197, 198; *alpina* 198; *Batesii* 198; *decipiens* 198; *Galeottiana* 198; *Jurgensii* 198; *mexicana* 198; *necaxana* 198; *ramulosa* 198; *scopulina* 198

Ambrosia artemisiifolia 254, 269, 590; *trifida* 270

Amelanchier canadensis 643

Amentotaxus 749, 752; *argotaenia* 320

American Botanical Literature, 79, 159, 237, 329, 427, 543, 623, 718, 799

American Labiatae 509

Amsonia illustris 644

ANDERSON, EDGAR, The concept of the genus—II. A survey of modern opinion 363

ANDERSON, EDGAR and HUBRICHT, LESLIE, A method for describing and comparing blooming-seasons 639

ANDERSON, J. P., Notes on Alaskan rust fungi 413

ANDREWS, HENRY N., A new cupule from the lower carboniferous of Scotland 595

Andropogon furcatus 503; *scoparius* 503, 504; *virginicus* 254, 270

Anemone globosa 414; *multifida* var. *hudsoniana* 577; *narcissiflora* 416; *nemorosa* 356

Angiopsora compressa 607

Angiopteris evecta 125

Antennaria gaspensis 584; *rupicola* 584

Anthodiscus obovatus 293

Aphanomyces euteiches 28

Aphyllous forms in *Pyrola* 453

Apodachlya brachynema 28

Aplopanax 589

Aquilegia canadensis 643

Archytaea multiflora 283

Arctostaphylos alpina 414, 579; *rubra* 589; *Uva-ursi* var. *coactilis* 577

Arctous erythrocarpa 414

Arenaria groenlandica 579; *patula* 642; *peploides* 581

Arisaema Dracontium 639, 643; *triphyllum* 643

Armillaria mellea 227

Arnica chionapappa 584; *mollis* 584

Artemisia arctica 413; *elatior* 416
Asclepias tuberosa 642; *verticillata* 642
Ashbya Gossypii 565, 571, 572
Aspidium spinulosum 536
Asplenium cryptolepis 589; *viride* 577
Aster anomalus 644; *Drummondii* 644; *dumosus* 254; *ericoides* 254, 270; *gaspensis* 581, 584; *laurentianus* 589; *linariifolius* 585; *oblongifolius* 642; *patens* 644; *pilosus* 644; *sagittifolius* 644; *turbinellus* 644; *vimineus* 644
Astragalus 376; *distortus* 643; *umbellatus* 416
Athyrium cyclosorum 413
Austrotaxus 732; *spicata* 747, 748, 752
Austrotaxus, The embryogeny of *Torreya*, with a note on 731
Avena nuda 674; *sativa* 675
AXELROD, DANIEL T., Late tertiary floras of the Great Basin and border areas 477
Azolla caroliniana 394; *filiculoides* 391; *pinnata* 391

Badusa corymbifera 418
Baccharis Schomburgkii 284; *Vitis-idaea* 284
BACKUS, E. J. and KEITT, G. W., Some nuclear phenomena in *Venturia inaequalis* 765
Bacterium tumefaciens 199, 201, 213, 220
Bacodromus Eupatorii 612
BARGHOORN, ELSO S., JR., Origin and development of the uniseriate ray in the Coniferae 303
BARTLETT, HARLEY HARRIS, The concept of the genus—I. History of the generic concept in botany 349
Bauhin, Caspar 351, 356, 358
Bauhinia heterophylla 74
Befaria Tatei 284
Berberis fascicularis 608
Betula 135; *alaskana* 415; *glandulifera* 415; *glandulosa* 415; *lutea* 585
Bidens 378; *polylepis* 644
Biotin 565, 571
BLAKE, S. F., Compositae from Mount Roraima 299
Blastocladia globosa 28; *Pringsheimii* 28; *strangulata* 28
Blepharandra hypoleuca 287
Blight-resistant chestnut, Breeding work toward the development of a timber type of 773
Blooming-seasons, A method for describing and comparing 639
Boletus 63; *Clintonianus* 63; *deflexus* 66; *pseudogranulatus* 63; *Rhoadsiae* 66; *roseialbus* 62; *rubricitrinus* 66; *stramineus* 66
BONISTEEL, WILLIAM JOHN, The sterility of Sparks aconite 93
Bonnetia roraimae 283
Bonyunia superba 284
Boutelona curtipendula 503
BRANDWEIN, PAUL F., Infection studies on the covered smut of oats 673
Brassica oleracea botrytis 203, 218, 219
Brazil, Flowering plants from 283
Breeding work toward the development of a timber type of blight-resistant chestnut. Report for 1939 773
Brighamia 781, 784
British Guiana, Flowering plants from 283
Brunfels 354, 355, 356
Bryophyllum 210; *calycinum* 203, 210, 211, 212, 223
Bubakia erythroxylonis 69
BUCHHOLZ, J. T., The embryogeny of *Torreya*, with a note on *Austrotaxus* 731
Buried viable seeds in a successional series of old field and forest soils 253
Burmeistera 778, 779

Calamagrostis canadensis 415
Calathiops Bernhardti 598, 599; *Renieri* 597, 599
Calea Oliverii 284
Calolisianthus Imthurnianus 284
Caltha asarifolia 415; *leptosepala* 415
Calycodendron magnificum 425
Calycosia petiolata 425
Calymmatotheca Kidstoni 598, 600
Camassia scillioides 642
CAMP, W. H., Aphyllous forms in *Pyrola* 453; The genus concept—V. Our changing generic concepts 381
Campanula americana 643
Campsis radicans 644
Cancer, Relation of plant responses to carcinogenic agents and growth substances to 199
Canthium odoratum 421

Capsicum, Characters for the classification and identification of 710; *frutescens* 710
Carcinogenic agents, Plant responses to 199
Cardamine bellidifolia 414
Carex concolor 579
Carpinus virginiana var. *guatemalensis* 607
Cassia biflora 609; *fasciculata* 644
Castanea alabamensis 776, 777; *alnifolia* 777; *Ashei* 777; *crenata* 773; *dentata* 773; *Henryi* 777; *Margaretta* 777; *mollissima* 773; *neglecta* 775; *ozarkensis* 777; *pumila* 775, 777; *sativa* 774, 776; *Seguinii* 774
Catopheria capitata 509
Ceanothus sanguineus 589
Cedrus libanitica 307, 308, 309, 311, 312, 313
Celastraceae, Studies in the American—III 616
Celastrus bullatus 619; **lenticellatus** 616, 617; *Liebmannii* 617; *mexicanus* 616, 618, 619
Centropogon 778, 779
Cephaelis Tatei 298
Cephalanthus occidentalis 644
Cephalotaxus 732, 752; *drupacea* 324, 325; *Fortunei* 749
Cercis canadensis 643
Ceriomyces rubricitrinus 61, 66; *subsensibilis* 61; *subtomentosus* 62
Chaetocarpus stipularis 283
Chamaedaphne calyculata 413
CHANDLER, CLYDE, Microsporogenesis in triploid and diploid plants of *Hemerocallis fulva* 649
Chaunostoma mecistandrum 512
Characters for the classification and identification of varieties of *Capsicum* 710
Chestnut, Breeding work toward the development of a timber type of blight-resistant 773
Chlorophyll, The structure of the chloroplast and the location of the 535
Chloroplast, The structure of the 535
Chromosomes of Sparks aconite 97; of *Hemerocallis fulva* 651
Chrysanthemum frutescens 199
Chrysomyxa Cassandrae 413; *Pyrolae* 415
Chytridium aggregatum 20; *Lagenaria* 20, 25; *Olla* 24, 25
Cirsium foliosum 581; *minganense* 581, 584
Cladochytrium replicatum 16, 17, 19, 20, 21, 27, 28
Cladophora 2, 3, 4, 19, 23
CLAUSEN, ROBERT T., Studies in the Crassulaceae: *Villadia*, *Altamiranoa*, and *Thompsonella* 195
Claytonia virginica 643
Clematis Fremontii 642
Clintonia umbellulata 585; *uniflora* 414
Clitocybe eccentrica 233; **subeccentrica** 233; *tabescens* 227
Clusia Melchiori 293
Coccomyces hiemalis 701
COCHRAN, H. L., Characters for the identification and classification of varieties of *Capsicum* 710
Coleus atropurpureus 511
Collection of flowering plants from Mount Roraima and adjacent Venezuela, British Guiana, and Brazil 283
Collinson 386, 387
Collybia maculata 147, 151
Coltricia Mowryana 228, 235
Concept of the genus 349
Coniferae, Origin and devolpment of the uniseriate ray in 303
Conioselinum Gmelini 414; var. *Kamtschaticum* 414
Conomorpha gracilis 295, 296; *grandiflora* 296; *punctata* 295; **sessilis** 294
Cordaites, A new species of 117; **iowensis** 119; *michiganensis* 119
Cordia hirta 284
Coreopsis 378, 379; generic changes in 378, 379; *lanceolata* 577, 639, 642
Corn, Experimental *Phymatotrichum* root rot of 489; Growth substances in hybrid 565
Cornus florida 643; *succica* 416
Cortinarius Arnoldae 61; *splendidus* 61
Cotyledon parviflora 195; *stricta* 197
Crassulaceae, Studies in the 195
Crepidotus latifolius 230; *parvulus* 230; **praelatifolius** 230
CROIZAT, L., Euphorbiaceae from Mount Roraima 288
Crossing-over in the fungi 467
Croton cuneatus 291; *hemiargyreus* 291; *matourensis* 291; **roraimensis** 290; *surinamensis* 291; *Tessmannii* 291

Crown gall, Relation of plant responses to carcinogenic agents and growth substances to 199
Cryptostegia madagascariensis 72
CUMMINS, GEORGE B., Descriptions of tropical rusts—II 67; III 607
Cumminsiella sanguinea 608; **Standleyana** 607, 608
Cunninghamia lanceolata 324, 325
Cunuria Gleasoniana 289, 290; *Spruceana* 289
Cupressus macrocarpa 308, 309
Cupule, A new 595
Cypripedium arietinum 589, 590; *passerinum* 581
Cyrilla brevifolia 283
Cystochytrium radicale 17
Cytology of *Endochytrium operculatum* (De Wildeman) Karling in relation to its development and organization 1
Cytology of sporangium development in *Azolla filiculoides* 391

Datura, Light and the growth of excised roots of 762; *Stramonium* 762
Diastatea 782, 784, 785, 786; **costaricensis** 787, 789, 790; **expansa** 786, 787; **micrantha** 143, 787; **tenera** 143, 786, 791; *virgata* 781, 784, 787, 792; var. **ciliata** 787, 793
Diatoms, A suggested starting-point for the nomenclature of 614
Dicheirinia ormosiae 70; **solenioides** 68, 70
Dicymbe Jenmani 287
Digitaria sanguinalis 269; *stenotaphrodes* 425
Dimorphandra congestiflora 287; *cuprea* 287
Diospyros ferrea var. *littorea* 417; var. *nandarivatensis* 417; var. **palauensis** 417; *lateriflora* 417; *longisepala* 417, 418; *samoensis* 417, 418; var. **longisepala** 418; *vitiensis* 417, 418
Diplophlyctis intestina 13, 25
Dodecatheon frigidum 416; *integrifolium* 416; *Jeffreyi* 416; *Meadia* 643; *pauciflorum* 416
DODGE, B. O., Second-division segregation and crossing-over in the fungi 467
Dodonea serrulata 616, 619, 620
Dolicholobium MacGregori 419
Dortmannia micrantha 788; *minutiflora* 788; *parviflora* 788
Downingia 778
Draba verna 356
Dryas Drummondii 580, 587, 589
DUNCAN, ROBERT E., The cytology of sporangium development in *Azolla filiculoides* 391
DWYER, J. D., Ochnaceae from British Guiana 291
Danthonia spicata 577
Datura 33, 762; *Stramonium* 51, 762
DEGENER, OTTO and HOSAKA, E. Y., **Straussia sessilis**, a new species from Hawaii 301
Delimitation of genera from the conservative point of view 375
Delphinium carolinianum 642; *tricorne* 643
Dentaria laciniata 643
Descriptions of tropical rusts—II 67; III 607
Desmodium orbiculare 612
Development of the embryo-sac of *Gagea fascicularis* Salisb. 155

EARLE, T. T. and ABBE, ERNST C., Inflorescence, floral anatomy, and morphology of *Leitneria floridana* 173
Echinacea pallida 642
Ecology of rare plants 575
Embryogeny of *Torreya*, with a note on *Austrotaxus* 731
Empetrum nigrum 581
Endochytrium digitatum 13, 20; *operculatum*, The cytology of, in relation to its development and organization 1
Endothia parasitica 773
Endymion lingulatum 605
Entoloma albidum 231; *commune* 60; *Grayanum* 231; var. **caespitosum** 59; **pinicola** 59, 145; *subalbidum* 230; **subcommune** 60; **Westii** 145
Entophlyctis Vaucheriae 25; *Salicornae* 27
Elodea canadensis 536, 540
Elymus arenarius 581
Epidendrum alsum 283; *montigenum* 283
Epilobium anagallidifolium 414; *angustifolium* 414; *latifolium* 580
Eragrostis pilosa 271

EPLING, CARL, Supplementary notes on American Labiatae 509
Erigeron compositus 584
Eriope crassipes 511
Erisyphe 16
Erxlebenia minor 462
Erythronium albidum 643
Erythroxylon havanense 69
Eupatorium aromaticum 585; *coelestinum* 614; *rotundifolium* 585; *roupalifolium* 284; *urticaefolium* 643
Experimental *Phymatotrichum* root-rot of retama and corn 489

Festuca octoflora 271
Ficus radula 771
Flammula subdryophila 235
Floras of the Great Basin and border areas, Late tertiary 477
Florida fungi, Additions to—II 57; III 145; IV 227; V 275
Fomes annosus 227; *Calkinsii* 227; *Curtisii* 227; *geotropus* 227; *lucidus* 227; *marmoratus* 227; *supinus* 227; *tornatus* 227
FOSBERG, F. R., Notes on plants of the Pacific islands 417
FOWLER, R. L. and WEAVER, J. E., Occurrence of a disease of side-oats grama 503
Fritillaria persica 158
Fungi, Additions to Florida—II 57; III 145; IV 227; V 275
Fungi, Second-division segregation and crossing-over in the 467
Further study of interglacial peat from Washington 131

Gagea fascicularis, Development of the embryo-sac of 155; *graminifolia* 155; *lutea* 155; *minima* 155; *ova* 155; *tenera* 155
Galera alachuana 235; **Westii** 281
Galerula alachuana 229, 235; tenera 229; **Westii** 280, 281
Gallatin petrified forests 121
Genera from the conservative point of view 375; from the standpoint of morphology 371
Generic concept in botany, history of 349
Gentiana gaspensis 581; *Victorini* 581
Genus, The concept of the—I. History of the generic concept in botany 349; II. A survey of modern opinion 363; III. Genera from the standpoint of morphology 371; IV. The delimitation of genera from the conservative point of view; V. Our changing generic concepts 381
Geopetalum viticola 235
Geranium 68; *chilloense* 69; *hirtum* 68; *mexicanum* 68; *sodiroanum* 69
Gerardia tenuifolia 644
Geum Peckii 579
Ginkgo biloba 320
GLEASON, H. A., Melastomataceae from British Guiana 294
Gnaphalium purpureum 266
Goodyera decipiens 589
GRAVES, ARTHUR HARMOUNT, Breeding work toward the development of a timber type of blight-resistant chestnut. Report for 1939 733
GREENMAN, J. M., The concept of the genus —III. Genera from the standpoint of morphology 371
GRIGGS, ROBERT F., The ecology of rare plants 575
Growth substances in a hybrid corn and its parents 565
Growth substances, plant response to carcinogenic agents and 199
Gyminda fimbrillata 617
Gymnoconia Peckiana 413
Gymnopilus amarissimus 229; **armillatus** 280, 281; *dryophilus* 229; **subdryophilus** 228, 235
Gymnochthodes ovalifolia var. **Smithii** 421
Gyroporus 63; **deflexus** 61, 66; **Rhoadsiae** 62, 66; **stramineus** 62, 66

Habenaria unalascensis 577, 589, 590
Hackelia mexicana 610
HANSEN, HENRY P. and MACKIN, J. HOOVER, A further study of interglacial peat from Washington 131
Hapalopilus licnoides 228
HAUPT, ARTHUR W., Sex organs of *Angiopteris evecta* 125
Hebeloma floridanum 230
Hedera corymbosa 600
Hedyotis auricularia var. **melanesica** 419; *crataegonum* 419; *foetida* 419; *verticillata* 419

Hedysarum Mackenzii 416
Heliotropium tenellum 642
Helleborus niger 355
Hemerocallis disticha 649; *fulva*, Microsporogenesis in triploid and diploid plants of 649; *longituba* 650
Hemileia 72
Hesperozygis bella 512; *ciliolata* 512
Heterotheca Grievii 599
Heterotoma arabidoides 143; **cordifolia** 143; **flexuosa** 143; *lobelioides* 143; *stenodonta* 144; *tenella* 143
Hexalectris spicata 643
Hibiscus militaris 644
Hieracium albiflorum 415
HILLEGAS, ARTHUR B., Cytology of *Endochytrium operculatum* (De Wildeman) Karling in relation to its development and organization 1
Himatanthus phagedaenica 298
Hippobroma 781, 782; *longiflora* 783
Holly, Tar spot of American 692
Hordeum boreale 589
Horminum caulescens 511
HOSAKA, E. Y. and DEGENER, OTTO, *Straussia sessilis*, a new species from Hawaii 301
HOUGHTALING, HELEN B., Stem morphogenesis in *Lycopersicum*: a quantitative study of cell size and number in the tomato 33
Houstonia angustifolia 642; *minima* 644
HUBRICHT, LESLIE and ANDERSON, EDGAR, A method for describing and comparing blooming-seasons 639
Huckleberries, generic changes in the 377, 383, 385
HUMPHREYS, MARY E. and OOSTING, HENRY J., Buried viable seeds in a successional series of old field and forest soils 253
Hyacinthus candicans 602; *corymbosus* 602; *orientalis* 602, 606; *Pouzolsii* 602
Hyacinthus, Propagation of, by leaf cuttings 502
Hydnochaete olivacea 275
Hydnum adustum 275; **alachuanum** 281; *albidum* 275; *amicum* 275; *cristatum* 275; *cyaneotinctum* 275; *diabolus* 275; *crinaceus* 275; *fasciculare* 275; *fennicum* 275; *floridanum* 275; *floriforme* 275; *fragilissimum* 275; *imbricatum* 275; *laciniatum* 275; *ochraceum* 275; *plumosum* 275; *pulcherrimum* 275; *rawakense* 275; *reniforme* 275; *repandum* 275; *septentrionale* 275; **subrawakense** 281; *velutinum* 275; **virginianum** 276; **Westii** 281; *zonatum* 275
Hydrocybe subminutula 233, 235
Hydrophyllum appendiculatum 643
Hygrophorus subminutulus 235
Hypholoma fasciculare 229
Hyptis arborea 284; *arborescens* 509; *brachiata* 510; **intermedia** 510; *iodantha* 510; *mutabilis* 611; *Nelsonii* 511; *oblongifolia* 509; *obtusiflora* 510; *personata* 510; *perpulchra* 510; *spicata* 67, 611; *subtilis* 510

Ilex opaca 692; *retusa* 283
Impatiens Sultani 536, 540
Index to American Botanical Literature 79, 159, 237, 329, 427, 543, 623, 718, 799
Infection studies on the covered smut of oats 673
Inflorescence, floral anatomy and morphology of *Leitneria floridana* 173
Iodanthus pinnatifidus 643
Iris virginica 644
Iresine Lindenii 201
Irpiciporus lacteus 275; *mollis* 275
Isopyrum biternatum 643
Isotoma 779, 780, 781, 782, 784, 794; *longiflora* 781, 783
Ixora vitiensis 422

JOHNSON, A. W. and WILSON, L. R., A new species of *Cordaites* from the Pennsylvanian strata of Iowa 117
JOSHI, A. C., Development of the embryo-sac of *Gagea fascicularis* Salisb. 155
Juncus trifidus 579

Kalanchoë Daigremontiana 203, 223
KEITT, G. W. and BACKUS, E. J., Some nuclear phenomena in *Venturia inaequalis* 765
Ketelceria Davidiana 308, 309
KILLIP, E. P., Passifloraceae from British Guiana 294
Koeleria cristata 504

Labiatae, Supplementary notes on American 509
Lachenalia luteola 606; *tricolor* 606
Lactaria parvula 58; **praeserifiua** 59; **Westii** 59
Ladenbergia Pittieri 298
Lagotis glauca 413
Late tertiary floras of the Great Basin and border areas 477
Lathyrus maritimus 414, 581; *nevadensis* 581
Larix laricina 415
Laurentia, Revision of 778; *carnosula* 797; **debilis** 144, 781, 794; var. **serrata** 144, 795; *eximia* 797; *irazuensis* 789; *longiflora* 781, 783; *Maximiliana* 788; *Michelii* 778; *michoacana* 788; var. *ovatifolia* 788; *micrantha* 788; var. *longibracteata* 788; var. *ovatifolia* 788; *ovatifolia* 788; *pedunculata* 788; *pinetorum* 791
Leavenworthia uniflora 642
Ledothamnus sessiliflorus 284
Leitgebia Imthurniana 291
Leitneria floridana, Inflorescence, floral anatomy and morphology of 173
Lentinus lepideus 227
Lepechinia alpina 511; **caulescens** 511; **hastata** 511; **mexicana** 511; **Nelsonii** 511; *Schiedeana* 511; **Urbani** 511
Lepidophloios scoticus 598
Lepiota phaeosticta 233; **phaeostictiformis** 232
Leptilon canadense 254, 269, 270
LEVINE, MICHAEL, Plant responses to carcinogenic agents and growth substances; their relation to crown gall and cancer 199
Liatris cylindracea 642; *pycnostachya* 642
Licania exiguifolia 285; **pallidula** 286; **roraimensis** 286; **rufescens** 283
Light and the growth of excised roots of *Datura* 762
Lilium candidum 605; *Harrisii* 201; *Henryi* 158; *longiflorum* 201, 605; *philippinense formosanum* 201
Limnorchis leptoceratitis 416
Linnaeus 361, 362, 375, 376, 386
Linum Lewisii 414
Literature, Index to American botanical 79, 159, 237, 329, 427, 543, 623, 718, 799
Lithospermum canescens 692
Lobelia 729, 778, 780, 781, 782, 786; *arabidoides* 143; *assurgens* 144; *carnosula* 797; *cordifolia* 143; *Dielsiana* 785; *Draba* 788; *Dunnii* 794; var. **Dunnii** 794, 795; var. **serrata** 794, 795, 796; *fasciculata* 144; **georgiana** 144; *glandulifera* 144; *Hartwegi* 780; *irasuensis* 789, 790; *laxiflora* 779; *longicaulis* 144; *longiflora* 284, 783; *micrantha* 143, 788; *minutiflora* 788; *Palmeri* 791; *parviflora* 788, 790; *plebeia* 144; *ramosissima* 143, 781; *robusta* 144; var. **porto-ricensis** 144; *Rothrockii* 795; *ruderalis* 788; *sinaloae* 780; *siphilitica* 643; *sublibera* 785; **stenodonta** 144; *subtilis* 788; *Turckheimii* 788; **umbellifera** 144; *urens* 780; *xalapensis* 785
Lobelioideae, New names and transfers in the 143
Lophodermium Berberidis 703; *hysterioides* 702; *pinastri* 702, 703
Lucuma cainito 74; *nervosa* 71
LUNDELL, C. L., Studies in the American Celastraceae—III. Notes on Mexican and Central American species 616
LUTTRELL, E. S., Tar spot of American holly 696
Lycopersicum, stem morphogenesis in 33; chloroplasts of 536; *clavatum* 585; *pimpinellifolium* 33; *inundatum* 585
Lygodium palmatum 585
Lysipomia 778

Mabea argentissima 288, 289; *biglandulosa* 289
MACKIN, J. HOOVER and HANSEN, HENRY P., A further study of interglacial peat from Washington 131
Macrochytrium botrydioides 28
Macroderma Curtisii 692, 693, 700, 701
Macrosporogenesis and the development of the embryo-sac in *Yucca aloifolia* 755
MAINS, E. B., **Tegillum**, a new genus of the Uredinales 705
Mainsia epiphylla 607; *Holwayi* 607
Marasmius archyropus 151; *Berteroi* 149; **caesius** 148; **floridanus** 149; *glabellus* 150; *graminis* 152; **heliomyces** 149; *nigripes* 153; **nolaneiformis** 149; *prasiosmus* 153; **setulosus** 150; **sicciformis** 150; **squamosidiscus** 151; *stenophyllus* 154;

subarchyropus 151; **subgraminis** 151, 152; **subnigricans** 152; **subprasiosmus** 153; **substenophyllus;** 153; **subsynodicus** 154; *synodicus* 154
Marattiaceae 125
Maravalia 74
McVAUGH, ROGERS, New names and transfers in the Lobelioideae 143; A revision of "*Laurentia*" and allied genera in North America 778
Megachytrium Westonii 25
Megatheca Thomasii 596
Melampsora albertensis 413; *arctica* 415; *Bigelowii* 415; *Lini* 414
Melampsorella Cerasti 415
Melampsoridium betulinum 415; *Carpini* 604
Melampyrum lineare 585
Melanoleuca acris 280; *albissima* 147; var. **floridana** 147; **margarita** 279, 281; **maculata** 147, 154; **Westiana** 147; *Westii* 154
Merckia physodes 415
Mertensia maritima 581; *virginica* 639, 643
Method for describing and comparing blooming-seasons 639
Miconia megaphylla 294; *rupestris* 283; *superba* 283
Microsporogenesis in triploid and diploid plants of *Hemerocallis fulva* 649
Mikania pannosa 284
Mirabilis Jalapa 201
Mitella pentandra 415
Mitochytridium ramosum 28
MONACHINO, JOSEPH, A new genus and species of Sterculiaceae 621; A note on *Sapium* 771
Monarda Bradburyana 643; *fistulosa* 644
Morinda bucidaefolia 422; *Forsteri* 422; *myrtifolia* 422; *umbellata* 422
Mosses, generic changes in the 383
MURRILL, WILLIAM A., Additions to Florida fungi—II 59; III 145; IV 227; V 275
Mussaenda frondosa 420
Mycena Marasmius 154; **subepipterygia** 235; **syringescens** 235; **Taxodii** 235
Myginda Standleyi 618
Myopica mexicana 143
Myrtus roraimensis 283

Naucoria appendiculata 229; **cuspidata** 280; *praeumbonata* 280
NAYLOR, E., Propagation of *Hyacinthus* by leaf cuttings 602
Nectandria rigida 70
Nemastylis acuta 641
Neonauclea vitiensis 419
Neonelsonia ovata 610
Nephrochytrium 13; *appendiculatum* 20
Neurospora 467, 474, 769; *sitophila* 470, 472, 769
New cupule from the Lower Carboniferous of Scotland 595
New genus and species of Sterculiaceae 621
New names and tranfers in the Lobelioideae 143
New species of *Cordaites* from the Pennsylvanian strata of Iowa 117
Nicotiana glauca 203, 209; *tabacum* 222, 653, 654
Nietneria corymbosa 283
Nitella 2, 3
Nolanea alachuana 60
Nomenclature 352, 381
Note on *Sapium* 771
Notes on Alaskan rust fungi 413
Notes on plants of the Pacific islands—II 417
Nothoscordum bivalve 642
Nuclear phenomena in *Venturia inaequalis* 765
Nyssa sylvatica 66

Oats, Infection studies on the covered smut of 673
Occurrence of a disease of side-oats grama 503
Ocotea roraimae 283
Octomeria Connellii 283
Oenothera missouriensis 642
Oldenlandia crataegonum 419; *imberbis* 420
Olpidiopsis Saprolegnae 18
Olpidium Brassicae 17; *radicale* 17; *Vicae* 17
Olivea capituliformis 705; *Petitiae* 705; *scitula* 705
OOSTING, HENRY J. and HUMPHREYS, MARY E., Buried viable seeds in a successional series of old field and forest soils 253
Ophiorrhiza leptantha 420; var. **yasawana** 420
Orchyllium Campbellianum 284; *Humboldtii* 284; *Quelchii* 284

Origin and development of the uniseriate ray in the Coniferae 303
Ouratea glaucescens 292; **mazaruniensis** 292; *rigida* 293; *roraimae* 293; *Tatei* 283
Oxyria digyna 414, 579

Pacific islands, Notes on the plants of 417
Palicourea obtusata 284
Palmerella 794; *debilis* 144, 781, 794; var. *serrata* 144, 795; *tenera* 143, 791
Parkinsonia aculeata 489, 492
Parrya nudicaulis 414
Paspalum fasciculatum 607
Passiflora Cardonae 294
PATRICK, RUTH, A suggested starting-point for the nomenclature of diatoms 614
Pellaea atropurpurea 590
Penstemon Digitalis 644
Peridermium guatemalense 613; **Montezumae** 613
Pernettya marginata 284
Persea borbonia 228
Petalostemum purpureum 642
Petasites frigidus 413, 416
Petitia domingensis 705
Petrified forests, Gallatin 121
Phaca frigida 416
Phacelia dubia 585; *Purshii* 643
Phacidium Curtisii 693, 694, 696, 701; *lacerum* 700; *repandum* 692, 702
Phaleria ixorioides 418; *pulchra* 418
Phaseolus vulgaris 213, 214, 215
Phlox divaricata 643; *paniculata* 643; *stolonifera* 585
Phlyctochytrium 12
Phlyctidium anatropum 13
Phragmidium Andersoni 413; *Fragariastri* 609; **guatemalense** 609; *Potentillae* 609; *Rubi-idaei* 413
Phycomyces Blakesleeanus 565; *nitens* 18
Phyllitis Scolopendrium 589
Phymatotrichum root-rot of retama and corn 489; *omnivorum* 489
Physostegia virginiana 644
Physostoma elegans 599
Phytomonas 222; *fasciens* 203; *rhizogenes* 203, 221
Phytophthora palmivora 28
Pilobolus Crystallinis 18
Pinguicula vulgaris 579
Piptocarpha chontalensis 612
Plant responses to carcinogenic agents and growth substances; their relation to crown gall and cancer 199
Plantago decipiens 581; *major* 355; *virginica* 271
Pleurotus ostreatus 227; **viticola** 235
Plumier 361, 362
Picea canadensis 415; *sitchensis* 135, 136, 137
Pisum sativum 201
Pinus Banksiana 577; *contorta* 135, 136, 137; *echinata* 254, 255; *glabra* 65; *Montezumae* 613; *monticola* 135, 136 137; *resinosa* 312, 313, 577; *Strobus* 51, 312, 313, 314, 324, 325, 326; *sylvestris* 303; *taeda* 254
Podocarpus dacrydioides 750; *ferrugineus* 750; *spicata* 747
Poecilandra retusa 283
Pogonia parviflora 283, 285
Polemonium acutiflorum 414; *reptans* 643
Polygonum alpinum 414; *aviculare* 416; *Bistorta* 415
Polyphagus Euglenae 14, 16, 17, 19, 21, 24, 25, 28
Polyporus confluens 277; *fissilis* 227; *fractipes* 277; *hispidus* 227; *lacteus* 65; *lacticolor* 277; **leucomallellus** 66; *ludovicianus* 227; *magnisporus* 66; **Newellianus** 66; *persicinus* 227; **pini-glabrae** 66; **pseudolacteus** 66; *Schweinitzii* 227; *sulphureus* 227; *Whiteae* 277
Polypremum procumbens 266, 267, 269
Polystictus Mowryanus 235
Polystichum lonchitis 583; *mohroides* 589
Polytrichum commune 536, 539
Populus candicans 413; *nigra* var. *pyramidalis* 220; *tremuloides* 413
Poria cubitispora 65; *griseoalba* 66; *sulphurella* 66
Porterella 782, 796, 797; *carnosula* 781, 797; *carnulosa* 797; *eximia* 797
Potamogeton filiformis var. *Macounii* 589
Potentilla anserina 590; *fruticosa* 413, 590; *heterosepala* 609
Propagation of *Hyacinthus* by leaf cuttings 602, 606
Prunella 590
Prunulus epipterygius 234; **Marasmius** 148, 154; **subepipterygius** 233, 235; **syringescens** 234; **Taxodii** 234, 235

Pseudotsuga mucronata 138
Psychotria carnea 422; **chrysophylla** 423; *crassa* 284; **St.-Johnii** 423; *mazaruniensis* 298; *oblita* 289; *serpens* 424; *taviunensis* 424; *tephrosantha* 424; *turbinata* 425; *vomensis* 423
Puccinia amphiospora 67, 68, 611; *Arennariae* 415; *areolata* 415; *Bistortae* 415; *conglomerata* 413; *coronata* 415; *delicatula* 611; *Fergussoni* 415; *flavo-virens* 610; *gigantea* 414; *gigantispora* 414; *griseola* 611; *Gymnandrae* 413; **Hackeliae** 610; *Heucherae* 415; *Hieracii* 415; *incondita* 611; *infrequens* 611; *Ligustici* 414; *Linkii* 414; *mesomajalis* 414; *Millefolii* 416; **niveoides** 611; *obscurata* 610; *obtecta* 610; **obtectella** 609; *Ortonii* 416; *Oudemansii* 414; *Oxyriae* 414; *paspalicola* 607; *Phaceliae* 611; *Poarum* 416; **poikilospora** 69, 73; *Polygoni-alpini* 414; *porphyrogenita* 416; *Pulsatillae* 414, 610; *retecta* 416; *rubigo-vera* 416, 610, 611; *seorsa* 612; *Smilacis* 69; **unilateralis** 67, 71; *vagans* var. *Epilobii-tetragoni* 414
Pucciniastrum Pyrolae 414; *sparsum* 414
Pucciniosira Eupatorii 612
Pulsatilla ludoviciana 414
Pyrola, Aphyllous forms in 453; *americana* 462; *aphylla* 454; f. *ramosa* 454, 456; var. *foliosa* 455, 458; var. *leptosepala* 454; var. *paucifolia* 454, 455, 458, 463; *asarifolia* 414, 462; *chlorantha* 415, 463, 464; f. **paucifolia**, 464; var. *paucifolia* 464; *dentata* 454; *integra* 455, 458; *minor* 414, 415; *pallida* 455; *paucifolia* 464; *picta* 454, 465; f. **aphylla** 464; subsp. *picta* 464; var. *sparsifolia* 454, 458, 460; var. *Suksdorfii* 454, 459, 460, 464; subsp. *pallida* 454, 463; var. *chimoides* 454; subsp. *dentata* 454, 463; var. *chimoides* 454; subsp. *dentata* 454, 463; var. *integra* 463; *uliginosa* 462

Qualea Schomburgkiana 283
Quelchia conferta 284
Quercus coccinea 352; *imbricaria* 352; *tinctoria* 352

Ramischia secunda 462
Ranunculus Hookeri 610
Rapanea ferruginea 298; *guyanensis* 297; *lancifolia* 297; **resinosa** 297; **roraimensis** 296; *umbellata* 297; *umbrosa* 298
Rapuntium flexuosum 143; *longiflorum* 783; *micranthum* 788; *subtile* 788
Rare plants, The ecology of 575
Ratibida pinnata 644
Ravenelia antiguana 608, 609
Ravenia ruellioides 283
Retama and corn, Experimental *Phymatotrichum* root-rot of 489
Revision of "*Laurentia*" and allied genera in North America 778
Rhizidiomyces apophysalus 13
Rhizidiopsis Emmanuelensis 25
Rhizidium mycophilum 25
Rhizophidium 12, 25; *Beauchampi* 17, 28; *glabrum* 14; *Lagenaria* 14; *laterale* 13; *macrosporum* 20
Rhizophlyctis 12; *Liguicola* 12; *Petersenii* 26
Rhizopogonum album 605
Rhizopus nigricans 18
Rhododendron calendulaceum 585; *maximum* 585
Rhytisma acerinum 702, 703; *Curtisii* 700, 703
ROBBINS, WILLIAM J., Growth substances in a hybrid corn and its parents 565; Light and the growth of excised roots of *Datura* 762
ROBERTS, EDITH A., The structure of the chloroplast and the location of the chlorophyll 535
Root-rot, *Phymatotrichum* 489
Roraimanthus Imthurnianus 291
Rosa setigera 644
Rostkovites 63
Roupala Scomburgkii 283
Rubus adenotrichus 607; *arcticus* 413; *eriocarpus* 607; *parviflorus* 583, 590; *strigosus* 413; *subarcticus* 413; *trivialis* 607
Rudbeckia hirta 644; *laciniata* 644; *missouriensis* 642; *triloba* 644
Ruellia carolinensis 692
Russula Arnoldae 57; **clitocybiformis** 231; **cystidiosa** 145; *emetica* 279; *foetens* 146; **floridana** 57; *heterospora* 58; var. **cremea** 57; **mutabilis** 146; *Mariae* 278; *purpurina* 232; **regalis** 231; *rosei-isabellina*

278; **roseitincta** 278, 279; *rubescens* 146; *rubrifolia* 232; *subacris* 279; **subrubescens** 146; **tuberculata** 58; *uncialis* 232
Rust fungi, Notes on Alaskan 413
Rusts, Descriptions of tropical—II 67; III 607

Sabatia angularis 644
Salix 135; *arctica* 415; *fragilis* 220, 221; *glauca* var. *glabrescens* 415; *pulchra* 415
Salvia albiflora 527, 528; *albocaerulea* 513; *Alvajaca* 528; *amissa* 521, 522, 523; *arbuscula* 532; *arthrocoma* 526, 527; *arizonica* 516; *assurgens* 517; *atropaenulata* 529; *azurea* 523; *ballotaeflora* 513, 523; *bella* 518; **capillosa** 521; *cardinalis* 531; *carnea* 525; *cedrosensis* 520; *chiapensis* 528; *cinnabarina* 518; *clinopodioides* 513; *compacta* 524; **compsostachys** 519; *cinnabarina* 611; *connivens* 524; *corrugata* 515; *Cruikshanksii* 520; *curticalyx* 520, 533; *curtiflora* 533; **cyanantha** 526; **cyanicephala** 516; *dasycalyx* 515; *debilis*, 524, 525; *dichlamys* 529, 530; *dymocharis* 528; *elegans* 518; *excelsa* 533; **exilis** 514; *farinacea* 522, 523; *fluviatilis* 528; *Forreri* 516; *fratrum* 515; *funerea* 513; *fusca* 526; *galinsogifolia* 519; *glabra* 520; *glechomaefolia* 517; *Goldmanii* 513; *gracilis* 524, 525, 526; **gravida** 532; *guadalajarensis* 514; *heterotricha* 524, 525; *hirtella* 518; *hispanica* 518; *Holwayi* 531; *inaequilatera* 528; *involucrata* 531; *iodantha* 532; *iodochroa* 525; *ionocalyx* 526; *irazuensis* 524, 526; **Jacobi** 522, 523; *Kurlii* 521; *Kellermanii* 524, 528; *Killipiana* 526; *lanicalyx* 523; *languidula* 526, 527; *lasiocephala* 519; *lavanduloides* 514, 515; *leptophylla* 524; *leucochlamys* 515; *longifolia* 515; *longispicata* 527; *longistyla* 533; *Lundellii* 518; *lycioides* 521; *macrostachya* 517; *marci* 532; *membranacea* 524, 526; *mexicana* 529; *microphylla* 529; var. *neuropia* 529; *Mocinoi* 520; *mohavensis* 513; *myriantha* 524, 527; *nervata* 533; **nigriflora** 529, 530; *oblongifolia* 523; *orthostachys* 518; *pachyphylla* 513; **palealis** 518, 519; *pallida* 521, 522, 523; *pannosa* 521; *patens* 517; *pichinchensis* 517; *pinguifolia* 513; *platycheila* 523; *plurispicata* 524; **praestans** 530; *prunelloides* 517; **psilophylla** 527; *pseudogracilis* 524, 525, 527; **pseudoincisa** 513; **pseudopallida** 521, 523; *puberula* 531, 532; **punicans** 525; *purpurascens* 524; *purpurea* 532; *quitensis* 518; *Regnelliana* 532; *roscida* 526, 527; *rostellata* 517; *rubiginosa* 520; *Sacculus* 524; *scaposa* 514; *scutellarioides* 517; *secunda* 534; *Seemannii* 526; *Sessei* 531; *similis* 521, 522, 523; *simulans* 526; *subhastata* 532; *subincisa* 513; **subobscura** 514; **synodonta** 528, 529; *Teresae* 514; *thyrsiflora* 515; **tricuspis** 517; *umbratilis* 528, 529; **unguella** 533; *urica* 516, 521, 611; *venosa* 533; **viscidifolia** 517; *Wagneriana* 531; *xalapensis* 528
Salvinia natans 409
Sanguinaria canadensis 643
Sanuisorba sitchensis 415
Sapium, A note on; *biglandulosum* var. *bogotense* 772; var. **nitidum** 771; var. *oligoneuron* 772; var. *sulciferum* 772; *sulciferum* 772
Saprolegnia monoica var. *glomerata* 28
Sarcodon alachuanum 275, 281
Satureja Brownei 512; *mutabilis* 512; *nubigena* 512
Sauvagesia fruticosa 292; **Imthurinana** 283, 291, 292
Saxegothaea conspicua 749
Saxifraga aizoon 583
Scaevola fasciculata 144; *glandulifera* 144
Schizophyllus alneus 227
Sciadopitys 747
Scilla lingulata 605
Sciodaphyllum umbellatum 283
Scirpus americanus 610
Scopella bauhiniicola 68, 71, 75; **Cryptostegiae** 68, 72, 74; *echinulata* 74; **Lucumae** 73, 75
Scutellaria parvula 642
Scutigera subrubescens 277
Second-division segregation and crossing-over in the fungi 467
Seeds, Buried viable 253
Senecio obovatus 577; *Pseudo-arnica* 581
Sequoia 575; *gigantea* 52; *magnifica* 121, 122, 123; *sempervirens* 736
Sex organs of *Angiopteris evecta* 125

SHERFF, EARL EDWARD, The concept of the genus—IV. The delimitation of genera from the conservative point of view 375
Side-oats grama, disease of 503
Silene rotundifolia 585; *stellata* 643
Silphium laciniatum 642; *perfoliatum* 644
Siphocampylus 778, 779
Smilax immersa 284, 285; *pseudosyphilitica* 285; *Schomburgkiana* 285; *spinosa* 69
SMITH, A. C., A collection of flowering plants from Mount Roraima and adjacent Venezuela, British Guiana, and Brazil 283
Smut, Infection studies on covered 673
Sobralia stenophylla 283
Solidago altissima 644; *multiradiata* 584; *serotina* 644; *ulmifolia* 644
Some nuclear phenomena in *Venturia inaequalis* 765
Sparganium 135
Sphacele alpina 511; *hastata* 511; *mexicana* 511; *pinetorum* 511; *Urbani* 511
Sphaerocarpos 473
Sphaerostoma ovale 599
Sphenophyllum plurifoliatum 308
Spiranthes cernua 642; *gracilis* 639, 642
Spongipellis fragilis 64
Sporangium of *Azolla filiculoides*, development of 391
Sporodinia grandis 18
Stachys debilis 511; *elliptica* 511; *lamioides* 511; *Micheliana* 511; *pusilla* 511; *Schiedeana* 511
STANDLEY, P. C., Rubiaceae from British Guiana 298
Steccherinum rawakense 276; **subrawakense** 275, 281; **Westii** 276, 281
Stem morphogenesis in *Lycopersicum:* a quantitative study of cell size and number in the tomato 33
Stenopadus condensatus 284, 299
Sterculia guianensis 291
Sterculiaceae, A new genus and species of 621
Sterility of Sparks aconite 93
Stipa spartea 503, 504
Stooria 784
Straussia oncocarpa 301; **sessilis** 301
Structure of the chloroplast and the location of the chlorophyll 525
Studies in the American Celastraceae—III. Notes on Mexican and Central American species 616
Studies in the Crassulaceae: *Villadia, Altamiranoa,* and *Thompsonella* 195
Suggested starting-point for the nomenclature of diatoms 614
Sullivantia Sullivantii 585
Supplementary notes on American Labiatae 509
Symbolanthus Elizabethae 284
Synchytrium decipiens 18; *endobioticum* 21; *fulgens* 21
Syntherisma pelagica 425

Tar spot of American holly 692
Taraxacum laurentianum 587; *mutilum* 415
Taxus 732, 747, 752; *baccata* 303, 312, 313, 317, 318, 320, 321
Taxodium distichum 63
Tegillum, a new genus of the Uredinales 705; **fimbriatum** 707
Telangium affine 598, 600
Tertiary floras 477
Tetrastichia bupatides 598
Thalictrum kewense 416
Thelypteris Filix-mas 590
Thiamin 565, 763
Thibaudia formosa 284; *nutans* 284; *Ulei* 284
Thompsonella 195, 196; *minutiflora* 195, 196
Thuja occidentalis 577, 749
Tiarella unifoliata 415
Timonius affinis 421; *Ledermannii* 421; *sapotaefolius* 421
Todea hymenophylloides 51
Tofieldia Schomburgkiana 283
Tolmiea Menziesii 415
Tomato 33
Torreya, Embryogeny of, with a note on *Austrotaxus* 731; *californica* 746, 750; *Fargesii* 732, 751; *nucifera* 731, 740, 743; *taxifolia* 731, 741, 744, 749, 751
Tournefort 358, 376
Tournefortia 75
Tovomita albiflora 293; *calodictylos* 294; *rubella* 294
Tradescantia canaliculata 643; *virginiana* 643
Tranzschelia suffusca 415

Tricholoma maculatum 154; **margarita** 281; **Westianum** 154
Trichomanes boschianum 585
Trichostema arizonicum 509; **mexicanum** 509
Tropical rusts, Descriptions of—II 67; III 607
Tsuga 135; *heterophylla* 138; *Mertensiana* 138
Tupa assurgens var. *porto-ricensis* 144
Tylochytrium 12, 26
Typha 135
Tyromyces caesius 64; **leucomallellus,** 63, 64, 66; **magnisporus** 64, 66; **Newellianus** 64, 66; **Pini-glabrae** 65, 66; **pseudolacteus** 65, 66

Ulricia pyramidata 511
Uraecium Lucumae 70
Uredinales, A new genus of 705
Uredinopsis Struthiopteridis 413
Uredo amphispora 67; **antiguensis** 613; *bauhiniicola* 72; *cryptostegiae* 72; *Erythroxylonis* 69; *Lucumae* 70; *solenioides* 70; *unilateralis* 67, 78; **wakensis** 75
Uromyces **antiguanus** 612; *Fabae* 414; *Hedysari-obscuri* 416; *Hedysari-paniculati* 612; *Lucumae* 74, 75; *Phacae-frigidae* 416; *Polygoni* 416
Ustilago Avenae 673, 687; *Kolleri* 470, 472; *levis* 472, 674
Uvularia grandiflora 643

Vaccinium membranaceum 589
Veeresia 621; **Clarkii** 621
Venezuela, Flowering plants from 283
Venturia inaequalis, Some nuclear phenomena in 765
Vernonia altissima 644; *Baldwini* 644; *crinita* 642; *ehretifolia* 284
Veronica peregrina 271
Veronicastrum virginicum 643
Virbunum pauciflorum 414; *roraimense* 284; *rufidulum* 643
Vicia Faba 201
Villadia 195; *andina* 197; *Batesii* 197; *Berillonana* 197; *Dielsii* 197; *Dyvrandae* 197; **elongata** 197; *Grandyi* 198; *imbricata* 198; *parviflora* 196; *virgata* 198; *Weberbaueri* 198
Viola Langsdorfii 415; *palustris* 579; *papilionacea* 643; *pedata* 643; *rotundifolia* 585; *striata* 639, 643
Vitex Cienkowskii 705
Vochysia densiflora 288; *majuscula* 288; **Pinkusii** 288

WEAVER, J. E. and FOWLER, R. L., Occurrence of a disease of side-oats grama 503
Weinmannia guyanensis 283; *laxiramea* 283
WILLIAMS, L. O., Orchidaceae from Mount Roraima 285
WILSON, L. R. and JOHNSTON, A. W., A new species of *Cordaites* from the Pennsylvanian strata of Iowa 117
Wimmeria confusa 616, 618; *crenata* 618; **mexicana** 618; *microphylla* 616, 619; var. **latifolia** 619; *pallida* 618; *persicifolia* 616, 619, 620; *pubescens* 619; *serrulata* 619, 620
WOLF, FRED T., Macrosporogenesis and the development of the embryo-sac in *Yucca aloifolia* 755
WOODSON, R. E., Apocynaceae from Venezuela 298

Xenodochus minor 415

YOUNG, P. A., Gallatin petrified forests 121
Yucca aloifolia, Macrosporogenesis and the development of the embryo-sac in 755; *flamentosa* 755, 758, 760; *glauca* 755, 758, 760; *gloriosa* 755, 758; *rupicola* 755, 758, 760

Zea Mays 489
Zinowiewia costaricensis 620; **ovata** 620
Zygorhizidium Wellii 28